


Office Chair Adjustments for Better Sitting Comfort

A practical physiotherapy guide for desk workers

Author: PT Ahmad Al Hariri



If you spend much of the day at a desk, your chair and workstation influence how comfortably you can work and how easily you can change position. The goal is not to force one “perfect” posture. Instead, create a supported setup that fits your body, your equipment, and your tasks.

Clinical note: This guide focuses on physiotherapy-informed ergonomics and movement habits. It is educational and does not diagnose or provide an individual treatment plan.

1. Why Your Chair Setup Matters

Sitting itself is not automatically harmful. Discomfort is more likely to become an issue when a person stays in one position for long periods, works at a poorly matched desk height, or cannot comfortably use the chair’s available adjustments.

A useful physiotherapy question is: **Can this workstation support a comfortable position while making movement easy?** The chair should reduce unnecessary reaching, shrugging, sliding forward, or leaning just to complete routine computer work.

2. Lumbar Support: Contact, Not Force

The lower back has a natural inward contour. A backrest or lumbar support can provide comfortable contact with this region. More support is not automatically better: a pad that is too high, too low, or too prominent may feel intrusive.

Start with the lumbar support in a neutral position. Sit back, relax the shoulders, and notice whether the support feels helpful without creating a strong pressure point or pushing you away from the backrest.

Practical cue: You should be able to rest against the backrest without feeling that the lumbar pad is forcing your pelvis forward.

3. Seat Height and Foot Support

Set the seat height so your feet are comfortably supported and your legs are not left hanging. The exact joint angle does not need to be measured during routine workstation setup.

If the chair must be raised to match the desk and your feet no longer reach the floor comfortably, a stable footrest can help. The objective is comfortable support, not a particular number.

4. Seat Depth: Leave Space Behind the Knees

Seat depth is often overlooked. If the seat is too deep, you may slide forward or avoid the backrest because the front edge contacts the area behind the knees. If it is too short, the thighs may receive less support.

Sit fully back and check whether you can maintain backrest contact while leaving a small, comfortable space between the seat edge and the back of the knees. The appropriate space varies with body proportions and chair design.

5. Armrests and Shoulder Position

Armrests can support the forearms, but they should not force the shoulders upward. If they are too low or too far away, they may encourage reaching or leaning. For keyboard and mouse work, keep the input devices close enough that the shoulders can remain relatively relaxed.

6. Backrest Recline and Position Changes

A slightly reclined backrest can be comfortable for many people when it continues to support the trunk. There is no single recline angle that is correct for everyone or every task.

For focused keyboard work you may prefer a more upright position; for reading or calls you may prefer more recline. The useful feature is adjustability: change position rather than staying locked in one posture all day.

7. Monitor and Desk Position


Chair adjustment cannot compensate for a poorly positioned monitor or keyboard. Place the screen so you can read it without repeatedly leaning forward. Keep the keyboard and mouse close enough to avoid sustained reaching.

If you use two monitors, place the primary screen directly in front of you. A secondary screen can sit to the side when it is used less often.

8. A Simple Setup Sequence

- 1. Sit fully back and allow the backrest to support you.
- 2. Adjust seat height until your feet are comfortably supported.
- 3. Set seat depth so the front edge does not press uncomfortably behind the knees.
- 4. Position lumbar support so it contacts the lower back without excessive pressure.
- 5. Adjust armrests so the shoulders can stay relaxed.
- 6. Set the backrest to a comfortable position for the task.
- 7. Position the monitor, keyboard, and mouse so you can work without repeated reaching.
- 8. Work briefly, then reassess. Small changes often work better than one large adjustment.

Practical workstation setup




9. Common Setup Mistakes

- Choosing a chair mainly for appearance while ignoring adjustability.
- Adjusting only the seat height and never checking seat depth or lumbar support.
- Sitting on the front edge because the desk is too far away.
- Using armrests that keep the shoulders elevated.
- Keeping the backrest rigidly upright for every task.
- Placing the monitor so low or far away that you repeatedly lean forward.
- Assuming a supportive chair removes the need to stand, walk, or change position.

10. Movement Still Matters

Even a well-adjusted chair cannot make prolonged static sitting equivalent to movement. Change position regularly: stand briefly, walk to get water, switch tasks, or perform a few comfortable movements.

Movement breaks: vary position instead of chasing one perfect posture



Use your work pattern as the cue rather than treating one time interval as a medical rule. Stiffness, fatigue, restlessness, or simply wanting to move are reasonable signals to change position.

11. Workstation Checklist

Area	Quick check
Feet	Comfortably supported; use a footrest if needed.

Area	Quick check
Seat height	Legs supported without excessive pressure or reaching.
Seat depth	Backrest contact is possible without pressure behind the knees.
Lumbar support	Helpful contact without a strong pressure point.
Armrests	Shoulders stay relaxed; forearms can be supported when useful.
Backrest	Allows comfortable recline and position changes.
Monitor	Readable without repeated forward leaning.
Keyboard / mouse	Close enough to avoid sustained reaching.
Movement	Work pattern includes regular position changes.

12. When Individual Assessment Is Appropriate

A chair adjustment is a workstation strategy, not a substitute for individual assessment. If discomfort is persistent, worsening, unusually severe, or interfering with normal activity, consider discussing it with an appropriate healthcare professional.

A physiotherapy assessment can consider movement, activity demands, work habits, functional limitations, and other relevant factors rather than assuming that the chair itself is the cause.

Frequently Asked Questions

What is the most important chair adjustment?

There is no universal single adjustment. A comfortable combination of seat height, seat depth, lumbar contact, arm support, and backrest position is more useful than focusing on one feature alone.

Should I sit perfectly upright all day?

No. A variety of comfortable positions is more practical than trying to hold one posture continuously. The chair should make position changes easy.

How high should my chair be?

Set the height so your feet are comfortably supported and you can work without excessive pressure or reaching. If the desk requires a higher seat, a footrest may help.

How should lumbar support feel?

It should provide contact in the lower-back region without creating a strong pressure point or pushing you away from the backrest. Adjust gradually.

Is a mesh chair automatically better?

Not necessarily. Mesh may feel breathable and flexible, but overall fit and adjustability matter more than material alone.

Do I need a headrest?

A headrest is optional for many desk tasks. Its usefulness depends on how you work and whether you use reclined positions.

What if my feet do not reach the floor?

A stable footrest can help provide support. Avoid leaving the legs unsupported simply to maintain a particular chair height.

How often should I change position?

Use changes in comfort and task demands as practical cues. Short, regular position changes are preferable to waiting until prolonged sitting becomes very uncomfortable.

Can a chair solve back discomfort?

A chair can improve the working environment and may make prolonged sitting more comfortable, but it cannot be expected to explain or resolve every cause of back discomfort.

What should I check before buying a chair?

Test the adjustment range: seat height, seat depth, lumbar support, armrests, and backrest movement. If possible, perform a normal work task rather than judging the chair from a brief sit.

Professional Perspective

From a physical therapist's perspective, the objective is not to make a person hold a rigid posture. A useful workstation supports comfortable movement, sensible contact, and easy position changes.

Use these adjustments as practical starting points rather than fixed prescriptions. Body proportions, desk height, equipment, work tasks, and individual comfort all influence the final setup.

Author: PT Ahmad Al Hariri

Website: PTREHA

Source article: Lower Back Pain? 5 Office Chair Adjustments That Matter Most

Educational disclaimer: This document provides general physiotherapy and workstation information. It does not provide an individual diagnosis or personalized treatment plan.

Reference resources: OSHA Computer Workstations eTool; CDC/NIOSH ergonomics resources; American Physical Therapy Association.